Health Professionals Report 2022 (Beta version) : Capacity, Accessibility and Production

Speciality of Interest : Ophthalmology Surgery

Authors : P. Meeus, A. Khalil, V. Maton



Contents
Introduction
Specialty Metrics and Comparison
Geographical Accessibility
Financial Accessibility
Continuous Professional Development
Activity Level, Working Place and Composition
Subspecialties Activity and Working Place
Accessibility, Insured Coverage
Accessibility, Patient Frequentation
Workload
Complementarity
Evolution of the Workforce Demography
Demographic Evolution by Age Group
Annex 1 : FTE Details





Introduction

Introduction

This report provides a comprehensive overview per medical specialty working within the Belgian health insurance system, within hospital and ambulatory settings.

Professional perspective :

• Aspects covered are: capacity, production (numbers and financials), subspecialties, replacement rates. Those aspects are described by gender, age, geographical distribution, type of activity, workplace, evolution.

Patient perspective :

• Accessibility and frequentation are described by gender, age, social status, geographical distribution, evolution.

Data Sources & Transformations

This report draws insights from the "Doc P" database, encompassing patients who sought care in Belgium and claimed insurance reimbursement. The database spans from accounting years :

- 2012 to 2022 for health professionals
- 2018 to 2022 for health professionals subspecialties
- 2018 to 2021 for insured coverage and patient frequentation

Each studied year N is coupled with socio-demographic data on providers as of December 31 N. Provider activity is estimated converting reimbursement amounts into hourly workload, with those surpassing a certain reimbursement threshold being treated as 1 FTE.

To address GDPR (General Data Protection Regulation) compliance for small cell data, numbers from fewer than 5 registered providers have been hided.

Additional information

For official information regarding the number of healthcare providers :

- NIHDI : please click <u>here</u>
- MOH : please click <u>here</u>

Contact

appropriatecare@riziv-inami.fgov.be

Key Variables & Metrics

Healthcare professional perspective (specialty is determined by grouping <u>NIHDI competency codes</u>) :

- analysis.
- reimbursed or working place.

Patient perspective :

- contacts/insured), patient frequentation (number contacts/patient).

A KPI (Key Performance Indicator) color system is used in this report. It is shown as

- Grey for contextual information
- Green for positive performance compared to starting year
- Red for negative performance compared to starting year

Limitations & Assumptions

- patient analysis is N-1 in order to present relevant data.

• <u>Demographic characteristics</u> are age (groups by 10Y), sex (M/F), contact address (not working place), communication language (Dutch/French), convention status (full, partly), activity status (>1 intervention/year), type of prestation (see <u>NIHDI nomenclature</u>). • <u>Numeric characteristics</u> are number of professionals (all providers registered within INAMI-RIZIV), number and cost of (reimbursed) prestation. Evolution is available since 2012 for professionals figures and since 2018 for the study of their activity.

• FTE (full-time equivalent) is calculated to determine the workload of a healthcare provider (= total reimbursements by provider in a given year divided by the median amount of reimbursements for providers aged 45 to 54 in the same specialty, see Annex 1). FTE values are capped at 1. The FTE for employed doctors in medical homes was estimated at 0.81 per doctor because the actual FTE cannot be evaluated given the absence of activity registration. Medical homes are not included in the productivity calculation. General practitioners with "Fee for Service" in the title specifies that doctors and patients in medical homes are excluded from the

• Working place : distinction is made between private, polyclinic, day hospitals, or hospital stays, depending on the place of prestation. • <u>Subspecialty Clusters</u> : Healthcare providers within a specialty can be clustered based on ([sub] group of similar) nomenclature codes

• Indicators of Density : FTE/10.000 insured; total activity/FTE; reimbursement/FTE, number of patients/FTE.

• Demographic characteristics are age (group by 10Y), sex (M/F), address of residence (not treatment place !) (by region, province, etc.), social status (normal and preferential regime [BIM])), type of specialty contacted during the year.

• Patients Indicators : insured coverage (% at least 1 contact) (N.B. Specialist in training included), insured frequentation (number of

• Professional density : contact address and working place can be in different regions, provinces, etc. which can explain differences in density between Brussels region (working place) and peripherical contact address (Brabant). By standardizing the metrics to a consistent population size, it enables fair comparisons across different regions or provinces. It has not been done in this report. • Patient analysis uses actual care years, not accounting years, unlike other analyses. If the analysis year is N, the last available year for

• The calculation of FTEs may be impacted by modifications of competency codes over the years. A change within a specialty affects the median of reimbursements and thus generates breaks in the evolution of FTEs (see the recognition of nephrologists since 2022 for internal medicine). The median value changes depending the year (see Annex 1). In addition it is not adjusted for inflation.



Speciality Metrics and Comparison : Ophthalmology Surgery and Surgical group

This sheet compares the specialty of interest (left) with a larger but similar group (right).

Ophthalmology Surgery						
Code Competence	Description					
10370	Specialist in ophthalmology					
10374	Specialist in ophthalmology with accreditation in functional and vocational rehabilitation for the disabled					

	Ophthalmology Surgery Surgical group			
# N SubSpecialities	1	10		
# N Total	1,447	11,066		
# N Active	1,151	8,498		
# Full-Time Equivalent (FTE)	718	5,905		
€ Expenses per FTE	€ 437,670	€ 326,732		
65+	% Active % FTE 30% 9%	% Active % FTE 25% 7%		
	% Active % FTE	% Active % FTE		
Convention	34% 28%	72% 70%		
Accreditation	87% 96%	77% 86%		

Surgical group Profession

Acute and Emergency Anaesthesiology General Surgery Neurosurgery Ophthalmology Surgery Orthopaedics Otorhinolaryngology Plastic Surgery Stomatologist Urology




Geographical Accessibility (2022) : Ophthalmology Surgery

Geographical accessibility is measured by density, calculated by dividing the number of FTE (Full Time Equivalent) per 10.000 insured and comparing the results between provinces and regions.

Indicators :

- Geographical distribution which enables to check for homogeneity;
- Evolution since 10 years and growth rate within the time period ;
- Comparison between FTE density and insured density to detect correlation.


FTE per 10.000 insured by Province (2022)



Prov West-Vlaa Oost-Vlaa Antwerpe Limburg Vlaams-B Brussels Brabant ' Hainaut Namur Liège Luxembo Total

1.0 10.000 insured 0.8 0.6 per Ë 0.4 10


FTE per 10.000 insured, by Region (2012 vs 2022)



FTE per 10.000 insured in Belgium (2022)



Demographic Information by Province (2022)								
vince	#FTE	Density (FTE per 10.000 insured)	%65+ (FTE)	%Women (FTE)				
anderen	70	0.57	8%	66%				
anderen	91	0.57	7%	65%				
en	116	0.61	6%	62%				
	57	0.65	8%	69%				
Brabant	96	0.82	7%	71%				
	80	0.70	12%	54%				
Wallon	41	0.98	7%	57%				
	46	0.34	18%	51%				
	30	0.58	6%	37%				
	80	0.72	10%	57%				
ourg	11	0.49	32%	36%				
	718	0.62	9%	61%				






Financial accessibility is measured by the number of conventioned FTE (Full time equivalent) by 10.000 insured. Convention means that the professional is committed to respect prices determined in the NIHDI convention. This agreement can occur partly (at specific hours during the week) or totally (all the working hours).

Indicators :

- % FTE meeting the criteria / total FTE
- Financial accessibility is gauged by conventioned FTE (Full Time Equivalent) per 10,000 insured.

					Demographic Information by Province			
% Conventioned FTE (2022) 28% ! 2012: 36% (-21.36%)		Province	Density (FTE per 10.000 insured)	Density (Conventioned FTE per 10.000 insured)	% Conventioned FTE			
					West-Vlaanderen	0.57	0.12	21%
					Oost-Vlaanderen	0.57	0.06	10%
					Antwerpen	0.61	0.13	22%
			d FTE by		Limburg	0.65	0.12	19%
Lar	Language and Regime			Vlaams-Brabant	0.82	0.23	28%	
Language	Part	Full	Total		Brussels	0.70	0.31	44%
FR	20%	21%	41%		Brabant Wallon	0.98	0.21	22%
NL	4%	15%	19%		Hainaut	0.34	0.18	51%
Total	11%		28%		Namur	0.58	0.18	32%
					Liège	0.72	0.34	47%
					Luxembourg	0.49		1%
					Total	0.62	0.17	28%
Evolution of Conventioned FTE by Age (2012 vs 2022)								
	65%							
50%		37%		210/		36%	36%	Year






CPD (continuing professional development) is measured by accreditation criteria.


Accreditation means that the professional meets several CPD (continuous professional development) criteria (which indicates the will for quality of care).

Indicator :

• % FTE meeting the criteria / total FTE

					Demographic Information by Province			
% Accredited FTE (2022) 96% 2012: 93% (+2.51%)		96%		Province	Density (FTE per 10.000 insured)	Density (Accredited FTE per 10.000 insured)	% Accredited FTE	
)		West-Vlaanderen	0.57	0.56	99%
					Oost-Vlaanderen	0.57	0.56	97%
				. 1	Antwerpen	0.61	0.60	98%
% Accredited FTE by Language			Limburg	0.65	0.64	98%		
	and	Gend	er		Vlaams-Brabant	0.82	0.78	95%
Language	F	Μ	Total		Brussels	0.70	0.64	92%
FR	96%	91%	93%		Brabant Wallon	0.98	0.88	90%
NL	99%	93%	97%		Hainaut	0.34		90%
Total	98%	92%	96%		Namur	0.58	0.57	97%
			Liège	0.72	0.70	97%		
					Luxembourg	0.49	0.45	92%
					Total	0.62	0.60	96%







Subspecialties Activity and Working Place (2022) : Ophthalmology Surgery

Total reimbursement (2022)

€ 314.45M 2012: € 242.09M (+29.89%)


Reimbursement by FTE (2022) € 437,670 2012: € 347,303 (+26.02%) The level of activity is measured by the total reimbursement amount of the specialty. The distribution of the reimbursement by specialty allows to distinguish different types of activity which are grouped to study what kind of procedures they are doing and where. The type of activity is described by 2 criteria: the place of work and the nature of the activity:

• The place of work is the place where the activity takes place (private, polyclinic, day hospital, hospital stay).

• The nature of the activity is described according to 2 logics of grouping. The traditional distribution of reimbursements within NIHDI (N01 contacts, N20 surgery, etc.) and a specific, more detailed breakdown to identify sub-specialties within the specialty (i.e. cardiac surgery within surgery). Indicators :

- Reimbursement (in [Million] Euros) for the specialty
- Reimbursement (in Euros) / FTE

• % Reimbursement (in Euros) by category / total reimbursement (in Euros) The evolution provides information on the stability of the patterns of the activity comparing year N with N-4.




NIHDI Group	Description		Specific Group	Description
N00	Supervision of hospitalized beneficiaries		Cataract Surg.	Surgery (Ophtalmology-) : Cataract
N01	Consultations visits and medical advices		Consultation	Consultation
N13	General special dispensations and punctures		Ophtalmic (General) Surg.	Surgery (Ophtalmology-) : General
N18	Ophthalmology		Ophtalmic (Heavy) Surg.	Surgery (Ophtalmology-) : > N600
N50	X-ray diagnosis	-	Technical Procedures	Technical Procedures



Subspecialties are identified by their working place and type of activity (see previous page): the assignment of a health care provider to a sub-specialty depends first on the type of activity exercised. An active provider with at least 10% of reimbursements in a type of activity is considered specialized in this activity. However, the most complex activities (eg transplantation) are not subject to a minimum threshold. If no particular activity has been identified for the speciality, the assignment is made on the criterium of the workplace: hospital, polyclinic, private. If there is no clear distinction between the different locations, then the cluster is named "Mixed". Clusters less than 5 FTE or less than 0,5% of total FTE are left out. Comparison of clusters helps to understand differences in nature of work. Indicators :

- % FTE by type of cluster
- % type of activity (in Euro) / total reimbursement (in euro) by cluster


FTE and median Reimbursement by Subspeciality								
Subspecialty	#FTE Cluster	% Total FTE	Median Reimb					
General surg.	557	74%	€ 283K					
Cataract surg.	164	22%	€ 464K					
Else	21	3%	€ 480K					
Private	14	2%	€ 70K					



Subspecialties Activity and Working Place (2022) : Ophthalmology Surgery



Accessibility, Insured Coverage (2021) : Ophthalmology Surgery





Accessibility, Patient Frequentation (2021) : Ophthalmology Surgery

Frequentation of patients (number of contacts) is a complementary measure to understand accessibility.


Indicator : number of contacts (by category op patient) is respectively divided

- per insured


- per patient (insured who at least has one contact with health provider)

Category of patients are defined by several criteria : gender, social status, age group, geographic residence, evolution.


Insured Frequentation (2021) 0.352018: 0.35 (-1.22%)



Age Class Patients	Insured Frequentation	Insured Coverage	Patient Frequenta	
00-09	0.19	13%		
10-19	0.20	17%		
20-29	0.12	9%		
30-39	0.13	9%		
40-49	0.21	15%		
50-59	0.32	20%		
60-69	0.55	29%		
70-79	0.94	40%		
80+	0.94	35 <mark>%</mark>		



Province	Insured Frequentation	Insured Coverage	Patient Frequentation
West-Vlaanderen	0.36	19%	1
Oost-Vlaanderen	0.30	16%	1
Antwerpen	0.32	1 <mark>8%</mark>	1
Limburg	0.40	20%	2
Vlaams-Brabant	0.37	20 %	1
Brussels	0.33	18%	1
Brabant Wallon	0.39	21%	1
Hainaut	0.37	21%	1
Namur	0.36	21%	1
Liège	0.37	22%	1
Luxembourg	0.34	21%	1





1.6

1.6

1.6

1.6

1.6

1.5

1.5

1.5

.5

.5

1.5


Workload by specialty provides insights into the work volume per year of the specialty by FTE and their patient base population (Individual patients are allocated to one single professional per specialty per year to build the patient base population for each single professional/ provider) (N.B. Specialist in training are excluded).

Indicators (by province)


- Workload : contacts / FTE
- Patient base population: Patients / FTE
- Patient base population turnover : Providers/ patient
- Contacts per patient per provider
- Average age of total contacts per FTE

Limitation : contact address of health professionals can be different than the location of patients. This can explain differences in workload results (contact/FTE, patients/FTE) and lead to misinterpretation for geographical criteria (province) especially for small numbers of working professionals. Also if the number of FTE by cell is inferior to 5, contacts per FTE and patients per FTE have been hided.

Average Contacts per FTE (2021)				
5,556 2018: 5,531 (+0.47%)	Province	Contacts per FTE	Patients per FTE	Contacts per Patient and Provider
	West-Vlaanderen	6197	3305	1.6
Average Patients per FTE (2021)	Oost-Vlaanderen	5315	2921	1.6
2070	Antwerpen	5281	2923	1.6
3,070	Limburg	6344	3242	1.6
2018: 3,089 (-0.62%)	Vlaams-Brabant	4397	2321	1.6
Average Providers per Patient	Brussels	4540	2436	1.5
2021)	Brabant Wallon	4068	2246	1.5
12	Hainaut	10241	5858	1.5
2018: 1.1 (+1.59%)	Namur	5823	3530	1.5
	Liège	5209	3093	1.5
Average Contacts per Patient and Provider (2021)	Luxembourg	6779	4121	1.5
1.6 2018: 1.6 (-0.49%)				





Contacts Distribution by Age of Patients





Complementarity with its similar group (2021) : Ophthalmology Surgery







Evolution of the Workforce Demography (2022) : Ophthalmology Surgery


Healthcare workforce demographics presents active professionals engaging in more than one activity per year on the <u>left side</u> of the page, while Full-Time Equivalents (FTE) are displayed on the <u>right side</u>. The analysis spans the past decade and is segmented by professional characteristics such as age class, gender, and language. <u>Active indicators</u> (Left):

- Number of Actives (>1 prestation /accounting year) and its % growth rate
- Replacement Rate: Active professionals above 55 years compared to those below 55 years.
- Inactivity: % of inactive professionals in relation to the total.

• New Active Providers per Year: Annual influx of new providers (derived from linear regression to estimate the average rate) <u>FTE indicators</u> (Right):

• Equal proportion of gender: Indicates the percentage of women FTE in relation to the total FTE.

• Average FTE: Indicates the level of activity by dividing the FTE below 65 years with the total active workforce.






Demographic evolution by age group and activity of older professionals (provides information on the demographic stability).

Indicators :

- Trend in agegroup distribution (active/FTE),
- Age FTE : calculates the average of a professional's age multiplied by their corresponding Full-Time Equivalent (FTE) value.
- Contribution of older practitioners to the overall activity: % 65+ FTE/ Total FTE





FTE (full-time equivalent) is calculated to determine the workload of a healthcare provider (= total reimbursements by provider in a given year divided by the median of reimbursements for providers aged 45 to 54 in the same specialty). The median amount of reimbursement for providers aged 45 to 54 is calculated each year. See the evolution over the ten past years. It is not adjusted for inflation.

FTE values are capped at 1. See the the comparison per active providers by sex, language and age group. N.B. The FTE for employed doctors in medical homes was estimated at 0.81 per doctor because the actual FTE cannot be evaluated given the absence of activity registration.

